ELSEVIER

Journal of Organometallic Chemistry 660 (2002) 179

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 660

Albertin, G., 56

Baggio, R., 72
Bakhmutov, V.I., 153
Baleta, A.S., 173
Bieg, T., 133
Böhme, U., 44
Bordignon, E., 56
Borrmann, H., 27
Breunig, H.J., 167
Brintzinger, H.-H., 86
Bueno, A., 63

Carrillo, D., 72
Chang, C.-W., 127
Chojnowski, J., 14
Chung, Y.K., 161
Cypryk, M., 14

Darkwa, J., 109
Díez-Barra, E., 51

Eichele, K., 79

Fawcett, J., 92
Fortuniak, W., 14
Fuentealba, M., 72

Gajardo, F., 72
Garland, M.T., 72
Ghesner, M.E., 167
Grobelny, Z., 6, 133
Groux, L.F., 99
Grzelka, A., 14
Guerra, J., 51
Guzei, I.A., 109

Hamon, J.-R., 72
Herdtweck, E., 121
Herrmann, W.A., 121
Herzog, U., 27, 37, 44
Hupfield, P.C., 14
Hurst, S.K., 1
Hüttenhofer, M., 86

Karakaş, D., 117
Kaya, C., 117
Kemmitt, R.D.W., 92
Kim, Y.H., 161
Krompiec, S., 133

Lange, H., 37, 44
Lee, B.Y., 161
Lee, G.-H., 127
Li, K., 109
Lin, K., 139
Lin, Y.-C., 127
Lindner, E., 79
Lork, E., 167

Maercker, A., 6, 133
Manzur, C., 72
Mapolie, S.F., 109
Mata, J.A., 72
Matsubara, K., 145
Mentes, A., 92
Merino, S., 51
Millán, L., 72
Morejko-Buż, B., 6
Moreno, R.M., 63
Moyano, A., 63
Muehlhofer, M., 121

Nagashima, H., 145

Obora, Y., 173

Ren, T., 1
Rheinwald, G., 27, 44
Rodríguez-Curiel, R.I., 51
Rosales-Hoz, M.J., 153
Russell, D.R., 92

Sánchez-Cabrera, G., 153
Schaper, F., 86
Shim, C.B., 161
Shin, D.M., 161
Song, M., 139
Stolarzewicz, A., 6, 133
Strassner, T., 121
Ströbele, M., 79

Taylor, R.G., 14
Tejeda, J., 51
Terasawa, J.-i., 145
Tokunaga, M., 173
Tonel, F., 56
Tsuji, Y., 173

Wang, R., 99
Wang, Y., 127
Won, Y.C., 161
Wu, Y., 139

Zargarian, D., 99
Zhu, Y., 139
Zong, R., 79
Zuno-Cruz, F.J., 153

Elsevier Science B.V.
PII: S0022-328X(02)01918-6

ELSEVIER

Journal of Organometallic Chemistry 660 (2002) 181–183

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Subject Index of Volume 660

Acetylide
Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1
Alkalimetal oligosilanylchalcogenolates
Bis(oligosilanyl)chalcogenides $[(Me_3Si)_xMe_{3-x}Si]_2E$, alkalimetal oligosilanylchalcogenolates $(Me_3Si)_xMe_{3-x}Si-EM^I$ and oligosilanylchalcogenols $(Me_3Si)_xMe_{3-x}Si-EH$ (E = S, Se, Te): Syntheses and NMR study, 37
Alkali metals
Reactions of *cyclo*-(*t*-Bu_4Sb_4) with alkali metals; syntheses and crystal structures of $[M(L)_n(t\text{-}Bu_4Sb_3)]$ (M = Na, K; $n = 1, 2$) and $[K(L)(t\text{-}Bu_3Sb_2)]$ (L = $(Me_2NCH_2CH_2)_2NMe$), 167
Alkylation
Reaction of ruthenium complexes containing heterocyclic thiazine–thione ligand, 127
Allyl
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4\text{-}2\text{-}OMe)=C(Me)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ are described, 92
Aminostannanes
8-Sila-4-stanna-*s*-tetrahydroindacenes as synthons for Me_2Si-bridged zirconocenes: formation from biscyclopentadienyl silanes by reaction with aminostannanes, 86
2-Anilinopyridinate
Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1
Arenehydrazone–iron complex
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
Asymmetric synthesis
4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63
Axially symmetric
8-Sila-4-stanna-*s*-tetrahydroindacenes as synthons for Me_2Si-bridged zirconocenes: formation from biscyclopentadienyl silanes by reaction with aminostannanes, 86

Band assignment
A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117
Benzyl glycidyl ether
Selective cleavage of the linear ether bond in benzyl glycidyl ether and triphenylmethyl glycidyl ether by potassium alkalide as two-electron-transfer reagent, 6
Benzyne
Pyrolysis of $[Ru_3(CO)_{10}(dppe)]$: activation of C–H and P–Ph bonds. The crystal structure and dynamical behavior of $[Ru_4(CO)_9(\mu\text{-}CO)\{\mu_4\text{-}\eta^2\text{-}PCH_2CH_2P(C_6H_5)_2\}(\mu_4\text{-}\eta^4\text{-}C_6H_4)]$, 153
Bimetallic complex
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
Bis(2,2′-bipyridines)
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1′-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79
Bis(oligosilanyl)chalcogenides
Bis(oligosilanyl)chalcogenides $[(Me_3Si)_xMe_{3-x}Si]_2E$, alkalimetal oligosilanylchalcogenolates $(Me_3Si)_xMe_{3-x}Si-EM^I$ and oligosilanylchalcogenols $(Me_3Si)_xMe_{3-x}Si-EH$ (E = S, Se, Te): Syntheses and NMR study, 37
Bis(1,10-phenanthrolines)
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1′-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79
Bis(pyridines)
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1′-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79

Carbene
A hexacarbene complex derived from 1,1′-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51
Carbonyl
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4\text{-}2\text{-}OMe)=C(Me)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ are described, 92
Catalysis
A hexacarbene complex derived from 1,1′-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51
C–C coupling reactions
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1′-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79
CO-factored force field
A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117
Crystal structures
Reactions of *cyclo*-(*t*-Bu_4Sb_4) with alkali metals; syntheses and crystal structures of $[M(L)_n(t\text{-}Bu_4Sb_3)]$ (M = Na, K; $n = 1, 2$) and $[K(L)(t\text{-}Bu_3Sb_2)]$ (L = $(Me_2NCH_2CH_2)_2NMe$), 167
8-Sila-4-stanna-*s*-tetrahydroindacenes as synthons for Me_2Si-bridged zirconocenes: formation from biscyclopentadienyl silanes by reaction with aminostannanes, 86
Cyanostannylation
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173

Elsevier Science B.V.
PII: S0022-328X(02)01916-2

Cyclic siloxane
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145
Cyclopentadienyl–iron complex
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
cyclo-(t-Bu_4Sb_4)
Reactions of *cyclo*-(t-Bu_4Sb_4) with alkali metals; syntheses and crystal structures of $[M(L)_n(t\text{-}Bu_4Sb_3)]$ (M = Na, K; n = 1, 2) and $[K(L)(t\text{-}Bu_3Sb_2)]$ (L = $(Me_2NCH_2CH_2)_2NMe$), 167

DFT calculations
Molecular structures of trimeric diphenyltin chalcogenides, $(Ph_2SnE)_3$, E = S, Se, Te, 44
Dinitrogen complexes
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56
Diruthenium
Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1
Dynamic process
Pyrolysis of $[Ru_3(CO)_{10}(dppe)]$: activation of C–H and P–Ph bonds. The crystal structure and dynamical behavior of $[Ru_4(CO)_9(\mu\text{-}CO)\{\mu_4\text{-}\eta^2\text{-}PCH_2CH_2P(C_6H_5)_2\}(\mu_4\text{-}\eta^4\text{-}C_6H_4)]$, 153

Electrochemistry
Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1

1,1′-Ferrocene
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1′-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79
Ferrocenes
4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63

Glycidyl ethers
Cleavage of different ether bonds in butyl glycidyl ether and allyl glycidyl ether by K^-, $K^+(15\text{-crown-}5)_2$, 133

Heterocyclic ring containing cyclomercurated ferrocenylimine
Studies on the synthesis and structural characterization of cyclomercurated ferrocenylimines containing heterocyclic ring, 139
High density polyethylene (HDPE)
Synthesis and evaluation of substituted pyrazoles palladium(II) complexes as ethylene polymerization catalysts, 109
Hydrosilanes
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145

Indenyl
Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99
Induced circular dichroism
4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63
Internal alkyne
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173

Linear ether bond cleavage
Selective cleavage of the linear ether bond in benzyl glycidyl ether and triphenylmethyl glycidyl ether by potassium alkalide as two-electron-transfer reagent, 6

Metallocene
Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161
Methylaluminoxane
Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161
Molecular structures
Molecular structures of trimeric diphenyltin chalcogenides, $(Ph_2SnE)_3$, E = S, Se, Te, 44
Molybdenum
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4\text{-}2\text{-}OMe)=C(Me)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ are described, 92
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56

Nanomolecule
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
NHC
Synthesis and structural characterization of novel bridged platinum(II) biscarbene complexes, 121
NMR study
Bis(oligosilanyl)chalcogenides $[(Me_3Si)_xMe_{3-x}Si]_2E$, alkalimetal oligosilanylchalcogenolates $(Me_3Si)_xMe_{3-x}Si\text{–}EM^I$ and oligosilanylchalcogenols $(Me_3Si)_xMe_{3-x}Si\text{–}EH$ (E = S, Se, Te): Syntheses and NMR study, 37

Oxazolines
4-Ferrocenyl-1,3-oxazoline derivatives as ligands for catalytic asymmetric allylation reactions, 63

Palladium
A hexacarbene complex derived from 1,1′-methylenebis(4-butyl-1H-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51
Palladium(II)
Synthesis and evaluation of substituted pyrazoles palladium(II) complexes as ethylene polymerization catalysts, 109
Paramagnetism
Synthesis, characterization and electrochemistry of diruthenium complexes linked by aryl acetylide bridges, 1
Phosphite
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56
Platinum(II) biscarbene complexes
Synthesis and structural characterization of novel bridged platinum(II) biscarbene complexes, 121
Polyalkynes
Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99
Polymerization
Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161
Polysiloxanes
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14

Poly(tetramethylsilethylenesiloxane)
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145
Potassium alkalide
Cleavage of different ether bonds in butyl glycidyl ether and allyl glycidyl ether by K^-, $K^+(15\text{-crown-}5)_2$, 133
Selective cleavage of the linear ether bond in benzyl glycidyl ether and triphenylmethyl glycidyl ether by potassium alkalide as two-electron-transfer reagent, 6
Potassium anions
Cleavage of different ether bonds in butyl glycidyl ether and allyl glycidyl ether by K^-, $K^+(15\text{-crown-}5)_2$, 133
Pyrazole
Synthesis and evaluation of substituted pyrazoles palladium(II) complexes as ethylene polymerization catalysts, 109
Pyridyl amine
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4\text{-}2\text{-}OMe)=C(Me)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ are described, 92

Reactivity
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56
Reduction
Preparation of dinitrogen complexes $Mo(N_2)_2P_4$ stabilised by phosphonite $PPh(OEt)_2$ and phosphinite $PPh_2(OEt)$ ligands, 56
Ring-opening polymerization
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145
Ruthenium
Reaction of ruthenium complexes containing heterocyclic thiazine–thione ligand, 127
Ruthenium clusters
Silane-induced ring-opening polymerization of 1,1,3,3-tetramethyl-2-oxa-1,3-disilacyclopentane catalyzed by a triruthenium cluster, 145

Sandwich complex
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
Schiff base
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4\text{-}2\text{-}OMe)=C(Me)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ are described, 92
Silanol polycondensation
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14
Silanols
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14
Siloxanol disproportionation
Polycondensation and disproportionation of an oligosiloxanol in the presence of a superbase, 14
Synthesis
Studies on the synthesis and structural characterization of cyclomercurated ferrocenylimines containing heterocyclic ring, 139

Terminal alkyne
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173
Tetracarbonyls
A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117
Tetraruthenium cluster
Pyrolysis of $[Ru_3(CO)_{10}(dppe)]$: activation of C–H and P–Ph bonds. The crystal structure and dynamical behavior of $[Ru_4(CO)_9(\mu\text{-}CO)\{\mu_4\text{-}\eta^2\text{-}PCH_2CH_2P(C_6H_5)_2\}(\mu_4\text{-}\eta^4\text{-}C_6H_4)]$, 153
Thiazine–thione
Reaction of ruthenium complexes containing heterocyclic thiazine–thione ligand, 127
Thienyl
Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99
Transition-metal-complex catalyst
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173
1,2,4-Triazole-5-ylidene
A hexacarbene complex derived from 1,1′-methylenebis(4-butyl-1*H*-1,2,4-triazolium) diiodide. Synthesis, characterization and catalytic activity, 51
Tributyltin cyanide
Platinum complex catalyzed reaction of tributyltin cyanide with alkynes, 173
Triflate
Preparation, characterization, and reactivities of thienyl nickel complexes bearing indenyl ligands, 99
Trimeric diphenyltin chalcogenides
Molecular structures of trimeric diphenyltin chalcogenides, $(Ph_2SnE)_3$, E = S, Se, Te, 44
Twisted boat conformations
Molecular structures of trimeric diphenyltin chalcogenides, $(Ph_2SnE)_3$, E = S, Se, Te, 44

Vibrational spectra
A new method for assigning the C–O stretching bands in *cis*-disubstituted octahedral metal carbonyl complexes, 117

X-ray crystal structure
Studies on the synthesis and structural characterization of cyclomercurated ferrocenylimines containing heterocyclic ring, 139
X-ray structure
Allyl complexes of molybdenum with Schiff base ligands. The crystal structures of $[MoCl(CO)_2\{N(C_6H_4\text{-}2\text{-}OMe)=C(Me)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ and $[MoCl(CO)_2\{N(Me)=C(Ph)C_5H_4N\}(\eta^3\text{-}C_3H_5)]$ are described, 92
Organodiiron(II)-complexes containing a long conjugated hydrazonato spacer. Synthesis, characterization, electrochemical and structural studies, 72
Preparation, properties, and reactions of metal-containing heterocycles: Part CVIII. A novel generation of rigid, nanoscaled 1,1′-ferrocenediyl-bridged bis(pyridine), bis(bipyridine), and bis(phenanthroline) ligands, 79
X-ray structures
Synthesis and structural characterization of novel bridged platinum(II) biscarbene complexes, 121

Zirconium
Synthesis, molecular structure, and polymerization reactivity of ethylenebis(1,3-dimethylcyclopentadienyl)zirconium dichloride, 161